

Telefax



**Boehringer
Ingelheim**

**RECEIVED
CENTRAL FAX CENTER**

JUL 13 2005

Examiner Michael T. Cygan - Art Unit - 2855
United States Patent and Trademark Office

Boehringer Ingelheim
Pharmaceuticals Inc.

703-872-9306 ~~FAX~~

Page 1 of 6

July 13, 2005

Amendment in Response to Office Action Mailed April 14, 2005

Dear Examiner Cygan

Please find attached the above referenced Amendment. (5 pages)

Thank You.

Pearlene Johnson for Thomas
Blankinship
Telephone 203-798-9988
Telefax 203-798-4408
E-Mail

900 Ridgebury Rd/P.O. Box 368
Ridgefield, CT 06877-0368

RECEIVED
CENTRAL FAX CENTER

JUL 13 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: M. Klein et al) Confirm. No.: 2344
Serial No.: 10/662,601) Art Unit: 2855
Filed: September 15, 2003) Examiner: Michael T. Cygan
For: Method for Measuring the Leaktightness of Sealed Containers
Docket No.: 1/1393

Via Facsimile: 703-872-9306

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

AMENDMENT

Sir:

This is an Amendment in response to the Office Action mailed on April 14, 2005.

Please amend this application as follows.